

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	10/656834	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 13:48
L2	1464	((public near3 address) same (private near3 address) same network)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L3	546	L2 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L4	213	L3 and "370"/\$.cls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L5	382	L2 and ((name address ID) near2 (table database server)) same (NAT (network\$4 near3 translat\$5))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L6	382	L2 and (((name address ID) near2 (table database server)) same (NAT (network\$4 near3 translat\$5)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L7	213	L6 and "370"/\$.cls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L8	4386	370/352-356.cls. and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L9	5815	370/389,392.cls. and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L10	3713	370/401.cls. and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L11	729	370/475.cls. and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L12	2191	(((name address ID) near2 (table database server stor\$5 memory maintain\$5)) same (NAT (network\$4 near3 translat \$5))))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39

L13	104	L8 and L12	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L14	114	L9 and L12	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L15	140	L10 and L12	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L16	18	L11 and L12	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L17	616	L12 and ((dynamic\$6 vary\$5 varie\$3) near3 (address ID))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L18	33	L8 and L17	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L19	44	L9 and L17	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L20	38	L10 and L17	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L21	8	L11 and L17	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L22	3273	((broadcast\$5 multicast\$5 send \$5 sent transmi\$8 announc\$7 near10 (address ID identif\$8)) and ((private near3 (address ID identif\$8)) same ((public\$7 global\$7) near3 (address ID identif\$8)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L23	1374	L22 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L24	214	L23 and (DNS (name near2 server)) and NAT	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L25	3273	((broadcast\$5 multicast\$5 send \$5 sent transmi\$8 announc\$7 near10 (address ID identif\$8)) and ((private near3 (address ID identif\$8)) same ((public\$7 global\$7) near3 (address ID identif\$8)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L26	1374	L25 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39

L27	511	L26 and (DNS (name near2 server) DHCP)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L28	2165	((broadcast\$5 send\$5 sent transmi\$8 announc\$7) near5 (address ID identif\$8)) and ((private near3 (address ID identif\$8)) same ((public\$7 global\$7) near3 (address)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L29	879	L28 and (@pd< "20030905" or @riad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L30	100	L29 and 709/245.ccls.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L31	172	((broadcast\$5 advertise) near5 (address ID identif\$8)) with network) and ((private near3 (address ID identif\$8)) same ((public\$7 global\$7) near3 (address)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L32	247	((broadcast\$5 advertis\$7) near5 (address ID identif\$8)) with network) and ((private near3 (address ID identif\$8)) same ((public\$7 global\$7) near3 (address)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L33	105	L32 and (@pd< "20030905" or @riad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L34	456	((without bypass\$5) near7 (NAT translat\$7 DNS)) and ((private near3 (address ID identif\$8)) same ((public\$7 global\$7) near3 (address)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L35	162	L34 and (@pd< "20030905" or @riad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L36	1	"7412004".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L37	45	new near3 (public\$5 global\$5) near3 address\$5 near7 (broadcast\$5 multicast\$5 send \$5 sent transmi\$8 announc\$7 advertis\$7)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L38	32	L37 and (@pd< "20030905" or @riad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L39	2	PCT/JP03/06387	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39

L40	3389	(public\$ global\$) near3 address\$5 near7 (broadcast\$5 multicast\$5 send\$5 sent transmi\$8 announc\$7 advertis \$7)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L41	492	(new expir\$ chang\$5) near3 (public\$ global\$) near3 address\$5	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L42	215	L40 and L41	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L43	93	L42 and ((@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L44	4	(SCD same handoff same list). clm.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L45	1	"5109390".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L46	27	("5673322" "5793763" "5805803" "5822434" "5835718" "5884272" "5907677" "5918018" "5961593" "6003084" "6006264" "6052725" "6052788" "6154839" "6182226" "6298445" "6321336" "6502135" "6571290" "6591306" "6704873" "6725378" "6778525" "6789203" "6829654").PN. OR ("7039721").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/02 14:39
L47	5789	(((choos\$5 select\$5) near7 (predefin\$5 predetermin\$5) near3 (profile info\$8) and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L48	5789	(((choos\$5 select\$5) near7 (predefin\$5 predetermin\$5) near3 (profile info\$8) and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L49	408	L48 and ("726"/\$.ccls. "370"/\$. ccls.)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L50	19	L49 and (NAT DNS)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39

L51	187	L48 and (NAT DNS)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L52	168	L51 not L50	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L53	139	((choos\$5 select\$5) near7 ((based adj on) basis accord \$5) near7 ((predefin\$5 predetermin\$5) near3 (profile info\$8))) and (@pd< "20030905" or @riad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L54	55	((choos\$5 select\$5) near7 (subscriber client) near7 ((based adj on) basis accord \$5) near7 (QOS priority bandwidth)) and (@pd< "20030905" or @riad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L55	18	(vary\$5 variable) near5 (public near2 address)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L56	6	L55 and (@pd< "20030905" or @riad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L57	21	(vary\$5 variable) near7 (public near2 address)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L58	9	L57 and (@pd< "20030905" or @riad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L59	38	(allocat\$5 assign\$5) near7 (multiple plural\$7) near3 (public near3 address))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L60	10	L59 and (@pd< "20030905" or @riad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L61	80	(NAT DNS (address\$4 near3 translat\$7) (nam\$5 near3 server)) same ((multiple plural \$7) near3 (public near3 address))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L62	15	L61 and (@pd< "20030905" or @riad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L63	164	((multiple plural\$7) near2 (public near3 address))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39

L64	240	((multiple plural\$7 two three) near2 (public near3 address))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39
L65	139	((multiple\$2 plural\$7 two three) near2 (public near3 addresses))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	OFF	2009/11/02 14:39
L66	51	L65 and (@pd< "20030905" or @rlad< "20030905" or @ptad< "20030905")	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2009/11/02 14:39

11/ 2/ 2009 2:50:48 PM

C:\ Documents and Settings\ psinkantarakorn\ My Documents\ EAST\ Workspaces\ 10656834-2.
wsp